




Appendix C

Illicit Discharge Detection And Elimination (IDDE)

OUTFALL INVENTORY SCHEDULE					
DISCHARGE TYPE	DISCHARGE ID	LOCATION	BASIN	LATITUDE	LONGITUDE
PIPE	1	THREE MILE CREEK RD TURNS NORTH BEFORE I-10	MOBILE/FISH RIVER	30D 39M 9.164S	87D 47M 30.833S
BOX CULVERT	2	CR 64 - CORN BR. EAST OF HALL RD	MOBILE/CORN BRANCH	30D 47M 5.895S	87D 47M 7.875S
PIPE	3	GREENO LN JUST EAST OF INGLESIDE AVE	MOBILE/COWPEN CREEK	30D 30M 39.672	87D 53M 24.951S
OPEN DITCH	4	WASP LN-WHERE IT DUMPS INTO POND	MOBILE/POINT CLEAR CREEK	30D 28M 26.261S	87D 54M 38.997S
PIPE	5	BOOTHE RD-BETWEEN LAKE VIEW & NORMAN LN	MOBILE/COWPEN CREEK	30D 30M 16.002S	87D 52M 39.695S
BRIDGE	7	SCENIC 98-ROCK CRK. SOUTH OF ECOR ROUGE LN	MOBILE/ROCK CREEK	30D 33M 27.932S	87D 53M 58.874S
BRIDGE	8	TURKEY BRANCH-TURKEY BRANCH DR	MOBILE/TURKEY BRANCH	30D 38M 33.83S	87D 50M 3.536S
BOX CULVERT	9	SCENIC 98-RED GULLY SOUTH OF N WINDING BROOK DR	MOBILE/RED GULLEY	30D 34M 42.480S	87D 54M 17.512S
BRIDGE	10	SCENIC 98-FLY CRK. SOUTH OF SEA CLIFF DR	MOBILE/FLY CREEK	30D 33M 4.416	87D 53M 55.041S
BOX CULVERT	11	CR 44-COWPEN CRK. WEST OF FAIRFIELD DR	MOBILE/COWPEN CREEK	30D 30M 6.374S	87D 52M 19.352S
BOX CULVERT	12	BR. OFF POINT CLEAR CR. WILLOWBRIDGE DR	MOBILE/POINT CLEAR CREEK	30D 28M 58.419S	87D 54M 29.019S
BRIDGE	13	CR 3 BAILEY CRK SOUTH OF COUNTY RD 32	MOBILE/BAILEY CREEK	30D 28M 14.797S	87D 54M 11.017S
BRIDGE	14	SCENIC 98-POINT CLEAR CRK. NORTH OF LAKEWOOD DR	MOBILE/POINT CLEAR CREEK	30D 29M 8.725S	87D 55M 56.413S
PIPE	15	COUNTY RD 66 EAST OF BOAZ RD E	MOBILE/CORN BRANCH	30D 37M 32.626S	87D 46M 56.187S
PIPE	16	COUNTY RD 66 EAST OF BOAZ RD E EAST OF DISCHARGE 15	MOBILE/CORN BRANCH	30D 37M 32.698S	87D 46M 48.239S
BOX CULVERT	17	BOARDWALK DR	MOBILE/MUDDY BRANCH	30D 42M 55.314S	87D 53M 40.18S
PIPE	18	MCFARLAND RD EAST OF JESSIE RD	MOBILE/BAY BRANCH	30D 40M 45.989S	87D 49M 20.674S
PIPE	20	MOSELEY RD EAST OF COUNTY RD 13	MOBILE/FLY CREEK	30D 32M 17.546S	87D 51M 47.752S
PIPE	21	COUNTY RD 48 WEST OF BLUEBERRY LN	MOBILE/FISH RIVER	30D 31M 25.095S	87D 50M 42.566S
BOX CULVERT	22	SCENIC HWY 98 SOUTH OF NELSON DR	MOBILE/TITI SWAMP	30D 30M 14.532S	87D 55M 18.894S

2021
Baldwin County
MS4 Outfall Inspections
NPDES Permit No. ALR040042

Planning & Zoning
Natural Resource Planner



OUTFALL INVENTORY SCHEDULE					
DISCHARGE TYPE	DISCHARGE ID	LOCATION	BASIN	LATITUDE	LONGITUDE
PIPE	1	THREE MILE CREEK RD TURNS NORTH BEFORE I-10	MOBILE/FISH RIVER	30D 39M 9.164S	87D 47M 30.833S
BOX CULVERT	2	CR 64 - CORN BR. EAST OF HALL RD	MOBILE/CORN BRANCH	30D 47M 5.895S	87D 47M 7.875S
PIPE	3	GREENO LN JUST EAST OF INGLESIDE AVE	MOBILE/COWPEN CREEK	30D 30M 39.672	87D 53M 24.951S
OPEN DITCH	4	WASP LN-WHERE IT DUMPS INTO POND	MOBILE/POINT CLEAR CREEK	30D 28M 26.261S	87D 54M 38.997S
PIPE	5	BOOTHE RD-BETWEEN LAKE VIEW & NORMAN LN	MOBILE/COWPEN CREEK	30D 30M 16.002S	87D 52M 39.695S
BOX CULVERT	6	JIMMY FAULKNER RD- NORTH OF PLAZA DE TOROS DR	MOBILE/SIBLEY CREEK	30D 41M 6.693S	87D 51M 5.611S
BRIDGE	7	SCENIC 98-ROCK CRK. SOUTH OF ECOR ROUGE LN	MOBILE/ROCK CREEK	30D 33M 27.932S	87D 53M 58.874S
BRIDGE	8	TURKEY BRANCH-TURKEY BRANCH DR	MOBILE/TURKEY BRANCH	30D 38M 33.83S	87D 50M 3.536S
BOX CULVERT	9	SCENIC 98-RED GULLY SOUTH OF N WINDING BROOK DR	MOBILE/RED GULLEY	30D 34M 42.480S	87D 54M 17.512S
BRIDGE	10	SCENIC 98-FLY CRK. SOUTH OF SEA CLIFF DR	MOBILE/FLY CREEK	30D 33M 4.416	87D 53M 55.041S
BOX CULVERT	11	CR 44-COWPEN CRK. WEST OF FAIRFIELD DR	MOBILE/COWPEN CREEK	30D 30M 6.374S	87D 52M 19.352S
BOX CULVERT	12	BR. OFF POINT CLEAR CR. WILLOWBRIDGE DR	MOBILE/POINT CLEAR CREEK	30D 28M 58.419S	87D 54M 29.019S
BRIDGE	13	CR 3 BAILEY CRK SOUTH OF COUNTY RD 32	MOBILE/BAILEY CREEK	30D 28M 14.797S	87D 54M 11.017S
BRIDGE	14	SCENIC 98-POINT CLEAR CRK. NORTH OF LAKEWOOD DR	MOBILE/POINT CLEAR CREEK	30D 29M 8.725S	87D 55M 56.413S
PIPE	15	COUNTY RD 66 EAST OF BOAZ RD E	MOBILE/CORN BRANCH	30D 37M 32.626S	87D 46M 56.187S
PIPE	16	COUNTY RD 66 EAST OF BOAZ RD E EAST OF DISCHARGE 15	MOBILE/CORN BRANCH	30D 37M 32.698S	87D 46M 48.239S
BOX CULVERT	17	BOARDWALK DR	MOBILE/MUDDY BRANCH	30D 42M 55.314S	87D 53M 40.18S
PIPE	18	MCFARLAND RD EAST OF JESSIE RD	MOBILE/BAY BRANCH	30D 40M 45.989S	87D 49M 20.674S
PIPE	19	JIMMY FAULKNER RD SOUTH OF PLAZA DE TOROS DR	MOBILE/SIBLEY CREEK	30D 41M 0.769S	87D 51M 9.728S
PIPE	20	MOSELEY RD EAST OF COUNTY RD 13	MOBILE/FLY CREEK	30D 32M 17.546S	87D 51M 47.752S
PIPE	21	COUNTY RD 48 WEST OF BLUEBERRY LN	MOBILE/FISH RIVER	30D 31M 25.095S	87D 50M 42.566S
BOX CULVERT	22	SCENIC HWY 98 SOUTH OF NELSON DR	MOBILE/TITI SWAMP	30D 30M 14.532S	87D 55M 18.894S

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Fish River</u>		Outfall ID: <u>1 Pipe</u>	
Today's date: <u>3-29-21</u>		Time (Military): <u>2:19pm</u>	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>73°F</u>	Rainfall (in.): Last 24 hours: <u>0.10</u> Last 48 hours: <u>0.10</u>		
Latitude: <u>30° 39' 9.164</u>	Longitude: <u>87° 39' 9.645</u>	GPS Unit:	GPS LMK #:
Camera: <u>Phone</u>		Photo #: <u>403-412</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☒ Ultra-Urban Residential		☐ Institutional	
☐ Suburban Residential		Other: _____	
☒ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Grate inlet covered with Debris</u> <u>36" RCP Paved ditch into grate inlet outfall submerged</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☒ Other: <u>Concrete</u>	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>36"</u>	In Water: ☐ No ☐ Partially ☒ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☒ Open drainage	☒ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☒ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: <u>1'</u> Top Width: <u>8'</u> Bottom Width: <u>2'</u>	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☒ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER		RESULT	UNIT	EQUIPMENT
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

SWAF-1

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☒ Yes ☐ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other: <u>Brown</u>	☐	☐	☐
Color	☒	☒ Clear ☐ Green ☐ Orange ☐ Gray ☐ Yellow ☐ Red ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☐ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☒	☐ Oily ☒ Flow Line ☐ Paint ☐ Other:	<u>Brown Algae - Acidic Conditions</u>
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illlicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF 1-Fish River



IMG_403-View Upstream Flow Present



IMG_407-View Upstream Drain Clogged with Debris



IMG_SWOF 1 View Downstream Submerged



IMG_0412-View Upstream Debris Removed

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Corn Branch</u>		Outfall ID: <u>2 - Box Culvert</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>142pm</u>	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>73°</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30 49 5.8155</u>	Longitude: <u>87° 47 7.875</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>	Photo #: <u>389-402</u>		
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☒ Ultra-Urban Residential		☐ Institutional	
☐ Suburban Residential		Other: _____	
☒ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>12x7 RC Box Culvert</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☒ Other: <u>Concrete</u>	☐ Circular ☒ Single ☐ Elliptical ☒ Double ☒ Box ☐ Triple ☐ Other: _____ ☐ Other: _____	Diameter/Dimensions: <u>12x7</u> <u>RC Box Culvert</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER		RESULT	UNIT	EQUIPMENT
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☒ Yes ☐ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION		RELATIVE SEVERITY INDEX (1-3)		
		Severage ☐ Rancid/sour ☐ Sulfide ☐ Clear ☐ Green	☐ Petroleum/gas ☐ Other: ☒ Brown ☐ Gray ☐ Red ☐ Yellow Ag ☐ Other: Ruff	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Odor	☐					
Color	☒					
Turbidity	☐					
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen)	☐ Suds ☐ Other: Row - Trash noted	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☒ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam


Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

Row Trash due to Candy landfill - haulers with no cover
Reported to Solid Waste Coordinator.

SWOF 2-Corn Branch



IMG_0389-View Upstream



IMG_0395-View North Culvert



IMG_0397-View Downstream



IMG_0400-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mohr / Cowpen Creek</u>		Outfall ID: <u>3 - Pipe</u>	
Today's date: <u>3/30/21</u>		Time (Military): <u>7:49</u>	
Investigators: <u>3/30/21 A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>64°</u>	Rainfall (in.): Last 24 hours: <u>0.1</u> Last 48 hours: <u>0.1</u>		
Latitude: <u>30° 30' 59.672</u>	Longitude: <u>87° 53' 24.9515</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #s:	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: _____	
☐ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Debris noted on western side of road. Removed during inspection</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☒ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>24"</u>	In Water: ☒ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

SWOF-3

MS4-OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐	☐	☐
Turbidity	☐	See severity:	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-3 Cowpen Creek



IMG_0538-View Downstream Facing North



IMG_0539-View Facing South



IMG_0542-View Facing West Debris Removed



IMG_0541-View Facing West Debris Noted

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile / Point Clear Creek</u>		Outfall ID: <u>A - Pipe</u>	
Today's date: <u>3/30/21</u>		Time (Military): <u>10:20 am</u>	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>75°</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30°28'26.261</u>	Longitude: <u>87°54'38.997</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #: <u>579-583</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: _____	
☐ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Nice water Moccasin (Big one)</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☒ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>18"</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☐ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	[Hatched Box]
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	____' ____"	Ft, In	Tape measure
	Measured length	____' ____"	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

SWOF-4

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ No ☒ Yes (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Sulfide ☐ Rancid/sour ☐ Petroleum/gas ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Green ☐ Brown ☐ Orange ☐ Gray ☐ Red ☐ Yellow ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☒ Yes ☐ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☒	☒ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	Pipe has crack damage
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☐ No

2. If yes, collected from: ☐ Flow ☐ Pool


3. Interim flow trap set? ☐ Yes ☐ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Ilicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF 4-Point Clear Creek



IMG_0581-View Upstream



IMG_0583-View Downstream Pond

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Cowpen Creek</u>		Outfall ID: <u>5-Cowpen Creek</u>	
Today's date: <u>3/30/21</u>		Time (Military): <u>809 am</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>70</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30° 30' 16.002</u>	Longitude: <u>87° 52' 39.695</u>	GPS Unit:	GPS LMK #:
Camera:		Photo #: <u>546-551</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: _____	
☐ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known):			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☒ Steel ☐ Other: _____	☒ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☒ Triple ☐ Other: _____ ☐ Other: _____	Diameter/Dimensions: <u>36"</u>	In Water: ☒ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	[Hatched Box]
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ No ☒ Yes (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables - Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight: origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☒ Yes ☐ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☒	☐ Oil ☐ Flow Line ☐ Paint ☒ Other:	Sediment stains
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection


1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool


3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Ilicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-5-Cowpen Creek



IMG_0550-View Upstream



IMG_0546-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Sibley Creek</u>		Outfall ID: <u>6 - Box Culvert</u>	
Today's date:		Time (Military):	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F):	Rainfall (in.): Last 24 hours:	Last 48 hours:	
Latitude: <u>30° 41' 0" N</u>	Longitude: <u>87° 51' 5.613" W</u>	GPS Unit:	GPS LMK #:
Camera: <u>NA</u>	Photo #s:		
Land Use in Drainage Area (Check all that apply): <u>NA</u>			
☐ Industrial ☐ Ultra-Urban Residential ☐ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known):			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: _____ In Water: ☐ No ☐ Partially ☐ Fully With Sediment: ☐ No ☐ Partially ☐ Fully
☒ Open drainage	☒ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☒ Other: <u>Box Culvert</u>	Depth: <u>4 1/2</u> Top Width: <u>6 x 2</u> Bottom Width: <u>6 x 2</u>	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature		°F	Thermometer	
pH		pH Units	Test strip/Probe	
Ammonia		mg/L	Test strip	

*Spanish Forts Jurisdiction
"Not Inspected"*

SWOF-6

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☐ No (If No, Skip to Section 5) NA

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☐ No (If No, Skip to Section 6) NA

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely	☐ Potential (presence of two or more indicators)	☐ Suspect (one or more indicators with a severity of 3)	☐ Obvious
-----------------------------------	---	--	----------------------------------

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☐ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☐ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Rock Creek</u>		Outfall ID: <u>7 Bridge</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>422pm</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>73</u>	Rainfall (in.): Last 24 hours: _____	Last 48 hours: _____	
Latitude: <u>30 33 27.932</u>	Longitude: <u>87 53 58.87</u>	GPS Unit: _____	GPS LMK #: _____
Camera: <u>iPhone</u>		Photo #s: <u>451 - 469</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: _____	
☐ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u> Hwy 98 Bridge</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>Bridge</u> In Water: ☒ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	[Hatched Box]
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature		_____	°F	Thermometer
pH		_____	pH Units	Test strip/Probe
Ammonia		_____	mg/L	Test strip

SW OF-17

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:			
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight: origin not obvious	☐ 2 - Some: indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some: origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection


1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool


3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-7 Rock Creek



IMG_0456-View Upstream



IMG_0451-View Downstream



IMG_0468-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile / Turkey Branch</u>		Outfall ID: <u>8 - Bridge</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>2:29 pm</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>71</u>	Rainfall (in.): Last 24 hours: <u>0.1</u> Last 48 hours: <u>0.1</u>		
Latitude: <u>30° 38' 33.83</u>	Longitude: <u>87° 56' 3.536</u>	GPS Unit:	GPS LMK #:
Camera: <u>iPhone</u>		Photo #s: <u>413 - 428</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☐ Suburban Residential		Other: _____	
☐ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Bridge 68'</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE		DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>68' Bridge</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____		Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)				
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>				
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial				

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature		_____	°F	Thermometer
pH		_____	pH Units	Test strip/Probe
Ammonia		_____	mg/L	Test strip

SW08

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Sulfide ☐ Rancid/sour ☐ Petroleum/gas ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Green ☐ Brown ☐ Orange ☐ Gray ☐ Red ☐ Yellow ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illlicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-8 Turkey Branch




IMG_0414-View Upstream



IMG_0416-View Upstream Looking at Bridge



IMG_0418-View Downstream



IMG_0427-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile / Rod Gully</u>		Outfall ID: <u>9 - Box Culvert</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>4:07 PM</u>	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>73</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30° 34' 42.480</u>	Longitude: <u>87° 54' 17.51</u>	GPS Unit:	GPS LMK #:
Camera: <u>iPhone</u>		Photo #s: <u>436-450</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☐ Suburban Residential		Other: _____	
☒ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Box Culvert - Excessive Sediment in Stream - Upstream Erosion in</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ REP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>12x6'</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☐ No ☒ Partially ☐ Fully <u>In Stream</u>
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Sulfide ☐ Rancid/sour ☐ Other:		☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Green ☐ Brown ☐ Orange ☐ Gray ☐ Red ☐ Yellow ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables - Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Floatables ☐ Oil Sheen ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely
 ☒ Potential (presence of two or more indicators)
 ☐ Suspect (one or more indicators with a severity of 3)
 ☐ Obvious
 Drawings Completed

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No
 2. If yes, collected from: ☐ Flow ☒ Pool
 3. Interim flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-9 Red Gulley



IMG_0444-View Upstream



IMG_0447-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile / Fly Creek</u>	Outfall ID: <u>10 - Bridge</u>
Today's date: <u>3/29/21</u>	Time (Military): <u>4:36 pm</u>
Investigators: <u>ACampbell</u>	Form completed by: <u>ACampbell</u>
Temperature (°F): <u>72</u>	Rainfall (in.): Last 24 hours: <u>.0</u> Last 48 hours: <u>.01</u>
Latitude: <u>30° 33' 4.416</u>	Longitude: <u>87° 53' 55.041</u>
GPS Unit:	GPS LMK #:
Camera: <u>Phone</u>	Photo #: <u>470 - 485</u>
Land Use in Drainage Area (Check all that apply):	
☐ Industrial ☐ Ultra-Urban Residential ☒ Suburban Residential ☒ Commercial ☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Bridge</u>	

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>Bridge</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: <u>Historic Stream Sediment</u> ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☒ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER		RESULT	UNIT	EQUIPMENT
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Aminonia			mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Only ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely ☒ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illlicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-10 Fly Creek



IMG_0472 – View Upstream



IMG_0481-View Upstream



IMG_0475 –View Downstream



IMG_0485-View Downstream,

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Bayou Creek</u>		Outfall ID: <u>11 - Box Culvert</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>522pm</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>73</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30° 30' 6.374</u>	Longitude: <u>87° 52' 19.353</u>	GPS Unit:	GPS LMK #:
Camera: <u>iPhone</u>		Photo #: <u>518 - 535</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: _____	
☒ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Hurricane Debris noted in Box Culvert</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☒ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>Concrete</u> <u>4</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature		_____	°F	Thermometer
pH		_____	pH Units	Test strip/Probe
Ammonia		_____	mg/L	Test strip

SWOF-11

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables - Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-11 Cowpen Creek



IMG_0518-View Upstream



IMG_0522-View Upstream



IMG_0527-View Downstream



IMG_0531-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Point Clear Creek</u>		Outfall ID: <u>12 - Box Culvert</u>	
Today's date: <u>3/30/21</u>		Time (Military): <u>10:07am</u>	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>72°</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30°28' 58.419</u>	Longitude: <u>87°54' 29.019</u>	GPS Unit:	GPS LMK #:
Camera: <u>iPhone</u>	Photo #: <u>574-578</u>		
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: _____	
☐ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Box Culvert 10' x 5' - No flow into Culvert Pond on Outfall Side.</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☒ Triple ☐ Other: _____	Diameter/Dimensions: <u>10 x 5</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature	_____	°F	Thermometer	
pH	_____	pH Units	Test strip/Probe	
Ammonia	_____	mg/L	Test strip	

SWOF 12

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight: origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some: origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely	☐ Potential (presence of two or more indicators)	☐ Suspect (one or more indicators with a severity of 3)	☐ Obvious
--	---	--	----------------------------------

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-12 Point Clear Creek



IMG_0575-View Upstream



IMG_0576-View Upstream



IMG_0577-View Downstream at Pond



IMG_0578-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Bailey Creek</u>		Outfall ID: <u>13- Bridge</u>	
Today's date: <u>3/30/21</u>		Time (Military): <u>900am</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>70°</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30° 28' 14.79</u>	Longitude: <u>87° 54' 29.019</u>	GPS Unit:	GPS LMK #:
Camera: <u>iPhone</u>		Photo #s: <u>564-569</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☒ Suburban Residential ☒ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>South 32-</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>Bridge 68'</u>	In Water: ☐ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	[Hatched Box]
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

SWOF-13

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-13 Bailey Creek



IMG_0571-View Upstream



IMG_0572-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Point Clear Creek</u>		Outfall ID: <u>14 - Bridge</u>	
Today's date:		Time (Military): <u>855am</u>	
Investigators: <u>A Campbell</u>		Form completed by: <u>A Campbell</u>	
Temperature (°F): <u>71°C</u>	Rainfall (in.): Last 24 hours: <u>10</u> Last 48 hours: <u>10</u>		
Latitude: <u>30° 29' 8.725</u>	Longitude: <u>87° 55' 56.415</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #: <u>564-569</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial		☐ Open Space	
☐ Ultra-Urban Residential		☐ Institutional	
☒ Suburban Residential		Other: <u>Grand Hotel</u>	
☒ Commercial		Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Bridge 341 - Tidally Influenced (no issues documented)</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>341</u>	In Water: ☐ No ☒ Partially ☒ Fully With Sediment: ☐ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature		°F	Thermometer	
pH		pH Units	Test strip/Probe	
Ammonia		mg/L	Test strip	

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely
 ☒ Potential (presence of two or more indicators)
 ☐ Suspect (one or more indicators with a severity of 3)
 ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No
If Yes, type: ☐ OBM ☐ Caulk dam	

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-14 Point Clear Creek



IMG_0565-View Upstream



IMG_0566-View Upstream



IMG_0567-View Downstream



IMG_0569-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Corn Branch</u>	Outfall ID: <u>15 - Pipe</u>
Today's date: <u>3/29/21</u>	Time (Military): <u>107pm</u>
Investigators: <u>A Campbell</u>	Form completed by: <u>A Campbell</u>
Temperature (°F): <u>75</u>	Rainfall (in.): Last 24 hours: <u>0.1</u> Last 48 hours: <u>0.1</u>
Latitude: <u>30° 37' 32.626</u> Longitude: <u>87° 46' 56.4135</u>	GPS Unit: _____ GPS LMK #: _____
Camera: <u>Iphone</u>	Photo #s: <u>360 - 380</u>
Land Use in Drainage Area (Check all that apply):	
☐ Industrial ☐ Open Space ☐ Ultra-Urban Residential ☐ Institutional ☒ Suburban Residential Other: _____ ☐ Commercial Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Erosion near Pipe / Minor debris (East of Pipe Nice Wetland)</u>	

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☒ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>28</u>	In Water: ☒ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature	_____	°F	Thermometer	
pH	_____	pH Units	Test strip/Probe	
Ammonia	_____	mg/L	Test strip	

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Petroleum (oil sheen) ☐ Suds ☐ Other:	☐	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Floatables ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-15 Corn Branch



IMG_0372-View Upstream



IMG_0377-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Cern Branch</u>		Outfall ID: <u>16-Pipe</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>1:20pm</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>~75</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30°37'32.08"</u>	Longitude: <u>87°46'48.23"</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #s: <u>381-388</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☒ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: <u>Agriculture</u> Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Agriculture Fields Adjacent to Outfall</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☐ RCP ☒ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☒ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>54"</u> In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
	☐ Open drainage ☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____			☐ Trapezoid ☐ Parabolic ☐ Other: _____
☐ In-Stream (applicable when collecting samples)				
Flow Present? ☒ Yes ☐ No <i>If No, Skip to Section 5</i>				
Flow Description (If present) ☐ Trickle ☒ Moderate ☐ Substantial				

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature		_____	°F	Thermometer
pH		_____	pH Units	Test strip/Probe
Ammonia		_____	mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Petroleum/gas ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☐ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☒	☐ Brown ☐ Orange ☒ Green ☐ Other:	Fertilizers (Potential)

Section 6: Overall Outfall Characterization

☐ Unlikely ☒ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-16 Corn Branch



IMG_0386-View Upstream



IMG_0385-View Upstream



IMG_0384-View Downstream



IMG_0381-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Muddy Branch</u>	Outfall ID: <u>17 - Box Culvert</u>
Today's date: <u>3/23/21</u>	Time (Military): <u>1:54 pm</u>
Investigators: <u>ACampbell</u>	Form completed by: <u>ACampbell</u>
Temperature (°F): <u>71</u>	Rainfall (in.): Last 24 hours: <u>10.1</u> Last 48 hours: <u>10.1</u>
Latitude: <u>30°42' 55.314</u>	Longitude: <u>87°53' 40.18</u>
Camera: <u>30°42' 55.31 Iphon</u>	GPS Unit: _____ GPS LMK #: _____
Photo #s: <u>278 - 286</u>	
Land Use in Drainage Area (Check all that apply):	
☐ Industrial ☐ Open Space ☐ Ultra Urban Residential ☐ Institutional ☒ Suburban Residential Other: _____ ☐ Commercial Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Concrete 16'x4' Box Culvert</u>	

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☒ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>16x4'</u>	In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No	If No, Skip to Section 5		
Flow Description (If present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER		RESULT	UNIT	EQUIPMENT
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

SWOF-17

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☒ Yes ☐ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☒	☐ Brown ☐ Orange ☒ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely ☒ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-17 Muddy Branch



IMG_0281-View Upstream



IMG_0279-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Bay Branch</u>		Outfall ID: <u>18 Pipe</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>252</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>-72</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30° 40' 45.985</u>	Longitude: <u>87 49 20.674</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #s: <u>429 - 435</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☒ Suburban Residential ☒ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Trash noted @ Outfall 36" RCP</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>36"</u> In Water: ☒ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	[Hatched Box]
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature			°F	Thermometer
pH			pH Units	Test strip/Probe
Ammonia			mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Sulfide ☐ Petroleum/gas ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Green ☐ Orange ☐ Red ☐ Yellow ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion ☐ Peeling Paint	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Suds ☐ Excessive Algae ☐ Oil Sheen ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Ilicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-18-Bay Branch



IMG_0433-View Upstream



IMG_0430-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Fly Creek</u>		Outfall ID: <u>20 - Pipe</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>454 pm</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>73</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30° 32' 17.546</u>	Longitude: <u>87° 51' 47.752</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #: <u>496-505</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☒ Ultra-Urban Residential ☒ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known):			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☒ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>2x40x27 cmp</u> <u>17" round</u> <u>40x27 RCP</u> In Water: ☒ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____	Ft, In	Tape measure
	Measured length	_____	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature		_____	°F	Thermometer
pH		_____	pH Units	Test strip/Probe
Ammonia		_____	mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls-Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight: origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are Physical Indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion	☐ Peeling Paint
Deposits/Stains	☐	☐ Only ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab? ☐ Yes ☒ No

2. If yes, collected from: ☐ Flow ☐ Pool

3. Intermittent flow trap set? ☐ Yes ☒ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illlicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-20 Fly Creek



IMG_0496-View Upstream



IMG_0501-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile Fish River</u>		Outfall ID: <u>21-</u>	
Today's date: <u>3/29/21</u>		Time (Military): <u>506 pm</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>73</u>	Rainfall (in.): Last 24 hours: <u>.01</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30 31 25.015</u>	Longitude: <u>87 51 47.75</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphon</u>		Photo #s: <u>506 - 517</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☒ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known):			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☒ Elliptical ☐ Box ☐ Other: _____	☐ Single ☒ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>44 x 72</u> In Water: ☐ No ☐ Partially ☐ Fully With Sediment: ☒ No ☐ Partially ☐ Fully
	☐ Open drainage ☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____ ☐ Trapezoid ☐ Parabolic ☐ Other: _____			Depth: _____ Top Width: _____ Bottom Width: _____
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☒ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature		°F	Thermometer	
pH		pH Units	Test strip/Probe	
Ammonia		mg/L	Test strip	

SWOF-21

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☒ No (If No, Skip to Section 5)

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK if Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☒ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No
If Yes, type: ☐ OBM ☐ Caulk dam	

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-21 Fish River



IMG_0512-View Upstream



IMG_0507-View Downstream

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed: <u>Mobile-Titi Swamp</u>		Outfall ID: <u>22</u>	
Today's date: <u>3/30/21</u>		Time (Military): <u>843</u>	
Investigators: <u>ACampbell</u>		Form completed by: <u>ACampbell</u>	
Temperature (°F): <u>68</u>	Rainfall (in.): Last 24 hours: <u>.0</u> Last 48 hours: <u>.01</u>		
Latitude: <u>30°30'14.532</u>	Longitude: <u>87°55'18.894</u>	GPS Unit:	GPS LMK #:
Camera: <u>Iphone</u>		Photo #: <u>552 563</u>	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☒ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known): <u>Sewer Pump Station on SE Corner of Outfall</u>			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☒ Closed Pipe	☒ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☒ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: <u>8' x 6'</u> In Water: ☐ No ☒ Partially ☐ Fully With Sediment: ☐ No ☒ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☒ In-Stream	(applicable when collecting samples)			
Flow Present?	☒ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (if present)	☐ Trickle ☒ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth		In	Tape measure
	Flow width	_____ "	Ft, In	Tape measure
	Measured length	_____ "	Ft, In	Tape measure
	Time of travel		S	Stop watch
Temperature		°F	Thermometer	
pH		pH Units	Test strip/Probe	
Ammonia		mg/L	Test strip	

SWOF-22

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☒ Yes ☐ No (If No, Skip to Section 5)

INDICATOR	CHECK IF Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)			
			☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance	
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐	☐	☐	
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐	☐	☐	
Turbidity	☐	See severity	☐	☐	☐	
Floatables -Does Not Include Trash!!	☒	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☒ Other: Foam	☐	☐	☐	

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are Physical Indicators that are not related to flow present? ☐ Yes ☒ No (If No, Skip to Section 6)

INDICATOR	CHECK IF Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion	☐ Peeling Paint
Deposits/Stains	☐	☐ Only ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely ☒ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☒ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☒ No
If Yes, type: ☐ OBM ☐ Caulk dam	

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

SWOF-22 Titi Swamp



IMG_0558-View Upstream



IMG_0561-View Downstream

MS4 Area Report (Complaints) = 0

From 04/01/20 to 03/31/21

MS4 OUTFALL INSPECTION FORM

Section 1: Background Data

Subwatershed:		Outfall ID:	
Today's date:		Time (Military):	
Investigators:		Form completed by:	
Temperature (°F):	Rainfall (in.):	Last 24 hours:	Last 48 hours:
Latitude:	Longitude:	GPS Unit:	GPS LMK #:
Camera:		Photo #s:	
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☐ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known):			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Elliptical ☐ Box ☐ Other: _____	☐ Single ☐ Double ☐ Triple ☐ Other: _____	Diameter/Dimensions: _____ In Water: ☐ No ☐ Partially ☐ Fully With Sediment: ☐ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow	Flow depth	_____	In	Tape measure
	Flow width	_____ " _____ "	Ft, In	Tape measure
	Measured length	_____ " _____ "	Ft, In	Tape measure
	Time of travel	_____	S	Stop watch
Temperature		_____	°F	Thermometer
pH		_____	pH Units	Test strip/Probe
Ammonia		_____	mg/L	Test strip

MS4 OUTFALL INSPECTION FORM

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☐ No (If No, Skip to Section 5)

INDICATOR	CHECK IF Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐ 1 - Faint	☐ 2 - Easily detected	☐ 3 - Noticeable from a distance
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐ 1 - Faint colors in sample bottle	☐ 2 - Clearly visible in sample bottle	☐ 3 - Clearly visible in outfall flow
Turbidity	☐	See severity	☐ 1 - Slight cloudiness	☐ 2 - Cloudy	☐ 3 - Opaque
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight; origin not obvious	☐ 2 - Some; indications of origin (e.g., possible suds or oil sheen)	☐ 3 - Some; origin clear (e.g., obvious oil sheen, suds, or floating sanitary materials)

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☐ No (If No, Skip to Section 6)

INDICATOR	CHECK IF Present	DESCRIPTION	COMMENTS
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Peeling Paint ☐ Corrosion	
Deposits/Stains	☐	☐ Only ☐ Flow Line ☐ Paint ☐ Other:	
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited	
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:	
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:	

Section 6: Overall Outfall Characterization

☐ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☐ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermittent flow trap set?	☐ Yes ☐ No If Yes, type: ☐ OBM ☐ Caulk dam

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

OUTFALL RECONNAISSANCE INVENTORY/ SAMPLE COLLECTION FIELD SHEET

Section 1: Background Data

Subwatershed:		Outfall ID:	
Today's date:		Time (Military):	
Investigators:		Form completed by:	
Temperature (°F):	Rainfall (in.):	Last 24 hours:	Last 48 hours:
Latitude:	Longitude:	GPS Unit:	GPS LMK #:
Camera:	Photo #s:		
Land Use in Drainage Area (Check all that apply):			
☐ Industrial ☐ Ultra-Urban Residential ☐ Suburban Residential ☐ Commercial		☐ Open Space ☐ Institutional Other: _____ Known Industries: _____	
Notes (e.g., origin of outfall, if known):			

Section 2: Outfall Description

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ CMP ☐ PVC ☐ HDPE ☐ Steel ☐ Other: _____	☐ Circular ☐ Single ☐ Elliptical ☐ Double ☐ Box ☐ Triple ☐ Other: _____	Diameter/Dimensions: _____	In Water: ☐ No ☐ Partially ☐ Fully With Sediment: ☐ No ☐ Partially ☐ Fully
☐ Open drainage	☐ Concrete ☐ Earthen ☐ rip-rap ☐ Other: _____	☐ Trapezoid ☐ Parabolic ☐ Other: _____	Depth: _____ Top Width: _____ Bottom Width: _____	
☐ In-Stream	(applicable when collecting samples)			
Flow Present?	☐ Yes ☐ No <i>If No, Skip to Section 5</i>			
Flow Description (If present)	☐ Trickle ☐ Moderate ☐ Substantial			

Section 3: Quantitative Characterization

FIELD DATA FOR FLOWING OUTFALLS				
PARAMETER	RESULT	UNIT	EQUIPMENT	
☐ Flow #1	Volume	Liter	Bottle	
	Time to fill	Sec		
☐ Flow #2	Flow depth	In	Tape measure	
	Flow width	Ft, In	Tape measure	
	Measured length	Ft, In	Tape measure	
	Time of travel	S	Stop watch	
Temperature		°F	Thermometer	
pH		pH Units	Test strip/Probe	
Ammonia		mg/L	Test strip	

Outfall Reconnaissance Inventory Field Sheet

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? ☐ Yes ☐ No *(If No, Skip to Section 5)*

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
			1 - Faint	2 - Easily detected	3 - Noticeable from a distance
Odor	☐	☐ Sewage ☐ Rancid/sour ☐ Petroleum/gas ☐ Sulfide ☐ Other:	☐	☐	☐
Color	☐	☐ Clear ☐ Brown ☐ Gray ☐ Yellow ☐ Green ☐ Orange ☐ Red ☐ Other:	☐	☐	☐
Turbidity	☐	See severity	☐	☐	☐
Floatables -Does Not Include Trash!!	☐	☐ Sewage (Toilet Paper, etc.) ☐ Suds ☐ Petroleum (oil sheen) ☐ Other:	☐ 1 - Few/slight; origin not obvious ☐ 2 - Cloudy ☐ 3 - Some: indications of origin (e.g., possible suds or oil sheen)	☐	☐

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? ☐ Yes ☐ No *(If No, Skip to Section 6)*

INDICATOR	CHECK if Present	DESCRIPTION		COMMENTS
		Spalling, Cracking or Chipping Corrosion	Peeling Paint	
Outfall Damage	☐	☐ Spalling, Cracking or Chipping ☐ Corrosion	☐	
Deposits/Stains	☐	☐ Oily ☐ Flow Line ☐ Paint ☐ Other:		
Abnormal Vegetation	☐	☐ Excessive ☐ Inhibited		
Poor pool quality	☐	☐ Odors ☐ Colors ☐ Floatables ☐ Oil Sheen ☐ Suds ☐ Excessive Algae ☐ Other:		
Pipe benthic growth	☐	☐ Brown ☐ Orange ☐ Green ☐ Other:		

Section 6: Overall Outfall Characterization

☐ Unlikely ☐ Potential (presence of two or more indicators) ☐ Suspect (one or more indicators with a severity of 3) ☐ Obvious

Section 7: Data Collection

1. Sample for the lab?	☐ Yes ☐ No
2. If yes, collected from:	☐ Flow ☐ Pool
3. Intermitent flow trap set?	☐ Yes ☐ No <i>If Yes, type: ☐ OBM ☐ Caulk dam</i>

Section 8: Any Non-Illicit Discharge Concerns (e.g., trash or needed infrastructure repairs)?

Illicit Discharge Inspection Form

Purpose: The purpose of this form is to document the observations made during an investigation of a potential non-storm water discharge into the County's MS4.

Inspection Information

Inspection Type: ☐ Initial ☐ Scheduled ☐ Follow-up ☐ Response to Complaint

Inspector Name: _____ Date: _____

Organization: _____ Time: _____

Phone: _____ E-mail: _____

Signature: _____

Name(s) of others accompanying inspector (if any):

Name: _____ Title: _____

Name: _____ Title: _____

Name: _____ Title: _____

Weather Conditions: ☐ Clear ☐ Cloudy ☐ Rain

Previous Rainfall: _____ in _____ on _____ Source: _____

Incident Location

Stream: _____ Latitude: _____ ° ' "

Address: _____ Longitude: _____ ° ' "

Nearby Landmark: _____

Property Type: ☐ County ☐ Commercial ☐ Industrial ☐ Residential

☐ Other: _____

Primary Location: ☐ Stream ☐ Upland Area

Secondary Location: ☐ Outfall ☐ In-Stream Flow ☐ Near Storm Drain

☐ Along Bank ☐ Other: _____

Comments: _____

Observations

1. Upland Problem Indicators

☐ None ☐ Dumping ☐ Oil / Chemical ☐ Sewage

☐ Wash Water ☐ Suds ☐ Other: _____

Comments: _____

2. Stream Corridor Problem Indicators

Odor ☐ None ☐ Sewage ☐ Oil / Chemical ☐ Sour

☐ Sulfide ☐ Other: _____

Appearance ☐ Normal ☐ Cloudy ☐ Oil / Chemical ☐ Suds

☐ Turbid ☐ Other: _____

Floatables ☐ None ☐ Sewage ☐ Dead Fish ☐ Algae

☐ Other: _____

Comments: _____

3. Field Screening Data

Illicit Discharge Inspection Form

Sample Location: _____

Parameters		Results	Comments
1. Temperature	°C	_____	_____
2. pH	s.u.	_____	_____
3. Conductivity	µS/cm	_____	_____
4. Total Dissolved Solids	mg/L	_____	_____
5. Potassium	mg/L	_____	_____
6. Ammonia	mg/L	_____	_____
7. Chlorine	mg/L	_____	_____
8. E Coli	mg/L	_____	_____
9. Total Coliform	mg/L	_____	_____
10. Fluoride	mg/L	_____	_____
11. Surfactants	mg/L	_____	_____
12. Detergents	mg/L	_____	_____
13. Hardness	mg/L	_____	_____

Comments: (These results will come from laboratory test) _____

4. Potential Source of Non Storm Water Discharge

- ☐ Sanitary Sewer ☐ Septic System ☐ Oil / Chemical Spill ☐ Vehicle Washing
☐ Construction Activity ☐ Industrial Activity ☐ Building Maintenance ☒ Drain Pipe
☐ Natural Source ☐ Other: _____

Suspect Violator

Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Property Type: ☐ County ☐ Commercial ☐ Industrial ☐ Residential
☐ Other: _____

Follow-up Actions

- ☐ No follow-up actions are required.
☐ Notify Facility of Non-Storm Water Discharge ☐ Yes ☐ No Date: _____
☐ Conduct Follow-up Investigation ☐ Yes ☐ No Date: _____
☐ Refer to County Department
 EMA (251) 972-6806 ☐ Yes ☐ No Date: _____
 HWY (251) 937-0371 ☐ Yes ☐ No Date: _____
 Health DP (251) 947-3557 ☐ Yes ☐ No Date: _____
☐ Non-Storm Water Discharge Eliminated ☐ Yes ☐ No Date: _____
☐ Notify ADEM ☐ Yes ☐ No Date: _____
☐ Other ☐ Yes ☐ No Date: _____

Comments: _____

BCHD GUIDELINES FOR OPERATIONS

Activity/Sub-Activity Description: Illicit Discharge Detection and Elimination / Hazardous Materials

Activity Code Number: 503

Administered by: Operations Section

Definition/Scope: This process is used by Baldwin County Highway Department employee(s) for dealing with spills that may contain hazardous materials. Any dangerous good (solid, liquid or gas) that can harm people, other living organisms, property or the environment is considered a hazardous material.

Customer: The customers for this process are the County Commission, the County Engineer, Department Heads, Citizens, Environmental Agencies and Highway Department staff.

Objectives: **LIFE SAFETY FIRST – I'M SAFE, YOU'RE SAFE, WE'RE SAFE**

- If safe to do so, remove any victim(s) from the immediate vicinity of the spill, remembering that they are contaminated
- Consider evacuation

Please refer to the 1996 North American Emergency Response Guidebook

Implementation Plan: (for spills containing petroleum based products)

- Spill only – less than 25 gallons, not in water – notify supervisor, dyke product to prevent runoff and initiate clean up procedures
- Spill only in excess of 25 gallons or in water – notify 911 and request EMA, notify supervisor, notify ADEM, dyke product to prevent runoff, and notify hazmat contractor for clean up
- Spill with injury – call 911 and request EMS, Fire Department and EMA, notify supervisor to notify HR, dyke product to prevent runoff (quantities still apply)

Critical Information:

- On Scene Contact Name
- On Scene Contact Number
- Location –physical address, street, mile marker, direction (East, West etc.)
- City or County
- Road/Lane closures
- Type of material spilled

Please refer to the attached contractor contact list for cleanup contractors needed during spills.

Follow-up Plan: Actions shall be taken to minimize the spill location

Procedure to Accomplish:

Responsibilities Summary: The Baldwin County Highway Department shall take immediate precautionary measures to ensure the spill is contained and the appropriate authorities have been notified.

BCHD GUIDELINES FOR OPERATIONS

Activity/Sub-Activity Description: Illicit Discharge Detection and Elimination / Sewer Detection

Activity Code Number: 503

Administered by: Operations Section

Definition/Scope: This process is used by Baldwin County Highway Department employee(s) for dealing with detection of sewer leakage / spills.

Customer: The customers for this process are the County Commission, the County Engineer, Department Heads, Citizens, Environmental Agencies and Highway Department staff.

Objectives:

- County Employee performs routine site inspection
- The following parameters shall be looked for during the inspection:
Grayish Turbidity, Odor, Floatables, Algae-growth and Bacterial growth.
- If any of the above are detected during the inspection, sanitary sewer or a failing septic system may be the root of the problem.
- The County shall immediately notify the Baldwin County Health Department at 251-947-3618.

Implementation Plan:

- In the event that sewer spill is detected, the following parties shall be notified:
 - Supervisor
 - Health Department
 - ADEM
 - Utility / Facility Owner (as applicable)

Please refer to the contractor contact list for cleanup contractors needed during spills.

Follow-up Plan:

Procedure to Accomplish:

Responsibilities Summary: The Baldwin County Highway Department employee responsible for performing inspection to determine if sewer spill has occurred.

BCHD GUIDELINES FOR OPERATIONS

Activity/Sub-Activity Description: Outfall Reconnaissance Inventory

Activity Code Number: 523

Administered by: Operations Section

Definition/Scope: This process is used by Baldwin County Highway Department employee(s) for Identifying & collecting at the Outfall Reconnaissance

Customer: The customers for this process are the County Commission, the County Engineer, Department Heads, Citizens, Environmental Agencies and Highway Department staff.

Objectives: Find Outfall Reconnaissance points and map locations

Implementation Plan: Follow this procedure for Outfall Reconnaissance points.

Follow-up Plan: Use maps as a guide for locations to take samples at Outfall Reconnaissance points.

Procedure to Accomplish: See below

- Use USGS maps to identify perennial and intermediate streams in the MS4 area
- Use the county GIS database to overlay the USGS map with the county maintained road system
- Identify the locations where the two intersect. These are your outfall locations
- Label the outfall locations numerically
- If more than one of their points intersects state waters at the same location, identify those additional location's with sub letters i.e. A,B,C,D
- Field verify all locations to ensure conditions are accurately captured
- Capture subwatershed, latitude, longitude, and fill out Outfall Inspection form
- Create a location map of each inspection point to attach to the Outfall Inventory Inspection form
- Inspect the outfall every 5 years

BCHD GUIDELINES FOR OPERATIONS

Activity/Sub-Activity Description: Illicit Discharge Detection and Elimination / Dry Weather Screening

Activity Code Number: 503

Administered by: Operations Section

Definition/Scope: This process is used by Baldwin County Highway Department employee(s) dry weather screening.

Customer: The customers for this process are the County Commission, the County Engineer, Department Heads, Citizens, Environmental Agencies and Highway Department staff.

Objectives:

- Conduct inspections during dry weather periods
- Characterize and record observations on basic sensory and physical indicators

Implementation Plan:

- If an illicit discharge is detected, please follow the Illicit Discharge Standard Operating Procedure

Follow-up Plan:

- Perform inspections of MS4 area at least once per permit cycle.
- If dry weather flow is present at the outfall, and the flow does not appear to be an obvious illicit discharge, attempt to identify the source of the flow then document the discharge for future comparison.
- Fill out MS4 Outfall Inspection Form
- Take photos for record.

Procedure to Accomplish:

Responsibilities Summary: The Baldwin County Highway Department employee responsible for performing dry weather screenings shall be responsible for implementing this SOP.

Complaint Tracking System

